

- [2] Peter E Hart, Nils J Nilsson, and Bertram Raphael. A formal basis for the heuristic determination of minimum cost paths. *IEEE transactions on Systems Science and Cybernetics*, 4(2):100–107, 1968.
- [3] David Šišlák, Premysl Volf, and Michal Pechoucek. Accelerated a* trajectory planning: Grid-based path planning comparison. In *19th International Conference on Automated Planning and Scheduling (ICAPS), Thessaloniki, Greece, Sept*, pages 19–23. Citeseer, 2009.
- [4] Andre Gaschler, Ingmar Kessler, Ronald P. A. Petrick, and Alois Knoll. Extending the knowledge of volumes approach to robot task planning with efficient geometric predicates. In *2015 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE, may 2015.
- [5] I. Jeong, W. Ko, G. Park, D. Kim, Y. Yoo, and J. Kim. Task intelligence of robots: Neural model-based mechanism of thought and online motion planning. *IEEE Transactions on Emerging Topics in Computational Intelligence*, 1(1):41–50, Feb 2017.
- [6] Yu Fan Chen, Shih-Yuan Liu, Miao Liu, Justin Miller, and Jonathan P How. Motion planning with diffusion maps. In *2016 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, pages 1423–1430. IEEE, 2016.
- [7] Karl Pearson F.R.S. Liii. on lines and planes of closest fit to systems of points in space. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 2(11):559–572, 1901.
- [8] Simon Du, Yining Wang, and Aarti Singh. On the power of truncated svd for general high-rank matrix estimation problems. 02 2017.
- [9] Daniel D. Lee and H. Sebastian Seung. Algorithms for non-negative matrix factorization. In *Proceedings of the 13th International Conference on Neural Information Processing Systems, NIPS'00*, pages 535–541, Cambridge, MA, USA, 2000. MIT Press.
- [10] F. Carreira, J. Calado, C. Cardeira, and P. Oliveira. Navigation system for mobile robots using pca-based localization from ceiling depth images: Experimental validation. In *2018 13th APCA International Conference on Automatic Control and Soft Computing (CONTROLO)*, pages 159–164, June 2018.
- [11] Y. Xiang, W. Niu, J. Liu, T. Chen, and Z. Han. A pca-based model to predict adversarial examples on q-learning of path finding. In *2018 IEEE Third International Conference on Data Science in Cyberspace (DSC)*, pages 773–780, June 2018.
- [12] Jianwei Wu, Deer Bin, Xiaobing Feng, Zhongpu Wen, and Yin Zhang. GA Based Adaptive Singularity-Robust Path Planning of Space Robot for On-Orbit Detection. *Complexity*, 2018:11, 2018.
- [13] G. E. Hinton and R. R. Salakhutdinov. Reducing the dimensionality of data with neural networks. *Science*, 313(5786):504–507, 2006.
- [14] Dharin Parekh, Ankitesh Gupta, Shharrnam Chhatpar, Anmol Yash Kumar, and Manasi Kulkarni. Lip reading using convolutional auto encoders as feature extractor, 2018.
- [15] Yann LeCun, Yoshua Bengio, and Geoffrey Hinton. Deep learning. *nature*, 521(7553):436, 2015.
- [16] Mark A. Kramer. Nonlinear principal component analysis using autoassociative neural networks. *AIChE Journal*, 37(2):233–243, 1991.