

minimal deep neural network and optimizing them using Evolutionary Algorithm are a promising alternative for time series forecasting problems.

References

- [1] W. Wei. *Time Series Analysis: Univariate and Multivariate Methods*. Pearson Addison Wesley, 2006.
- [2] E. M. Azoff. *Neural Network Time Series Forecasting of Financial Markets*. 1st. ed. New York, NY, USA: John Wiley & Sons, Inc., 1994.
- [3] K. Chakraborty et al. Forecasting the behavior of multivariate time series using neural networks. *Neural networks: the official journal of the International Neural Network Society*, v. 5, n. 6, p. 961–970, 1992.
- [4] Y. Bengio. *Deep Learning of Representations: Looking Forward*. Lecture Notes in Computer Science. p. 1–37. 2013.
- [5] P. Romeu et al. Time-Series Forecasting of Indoor Temperature Using Pre-Trained Deep Neural Networks. In: *Proc. of the International Conference on Artificial Neural Networks (ICANN)*, 2013.
- [6] T. Kuremoto et al. Time series forecasting using a deep belief network with restricted Boltzmann machines. *Neurocomputing*, v. 137, p. 47–56, 2014.
- [7] J. Bergstra et al. Algorithms for Hyper-Parameter Optimization. In: *Proc of the 24th International Conference on Neural Information Processing Systems*, p. 2546–2554, 2011.
- [8] R. T. Gonzalez, C. A. Padilha and D. Barone. Ensemble system based on genetic algorithm for stock market forecasting. *Evolutionary Computation*, p. 3102-3108, 2015.
- [9] I. Loshchilov and F. Hutter. CMA-ES for Hyperparameter Optimization of Deep Neural Networks. In: *Proc. of the International Conference on Learning Representations*, 2016.
- [10] N. Hansen and A. Ostermeier. Completely derandomized self-adaptation in evolution strategies. *Evolutionary computation*, v. 9, n. 2, p. 159–195, 2001.
- [11] A. Ng et al. Autoencoders and Sparsity. Available in: http://deeplearning.stanford.edu/wiki/index.php/Autoencoders_and_Sparsity. Visited on: 04/2018.
- [12] P. Vincent et al. Stacked Denoising Autoencoders: Learning Useful Representations in a Deep Network with a Local Denoising Criterion. *Journal of Machine Learning Research (JMLR)*, v. 11, n. Dec, p. 3371–3408, 2010.
- [13] Y. Bengio. Learning Deep Architectures for AI. *Foundations and Trends in Machine Learning*, v. 2, n. 1, p. 1–127, 2009.
- [14] M. Hüsken and P. Stagge. Recurrent neural networks for time series classification. *Neurocomputing*, v. 50, p. 223–235, 2003.
- [15] S. Hochreiter and J. Schmidhuber. Long short-term memory. *Neural computation*, v. 9, n. 8, p. 1735–1780, 1997.
- [16] N. Hansen. *The CMA Evolution Strategy: A Tutorial*. Machine Learning, 2016.
- [17] R. J. Hyndman and G. Athanasopoulos. *Forecasting: principles and practice*. OTexts, 2018.
- [18] E. N. Lorenz. Deterministic Nonperiodic Flow. *Journal of the Atmospheric Sciences*, v. 20, n. 2, p. 130–141, 1963.
- [19] T. Hong. GEFCom2017. Available in: <http://www.drhongtao.com/gefcom/2017>. Visited on: 09/2018.
- [20] E. Zivot and J. Wang. *Modeling Financial Time Series with S-PLUS*. Springer Science & Business Media, 2013.
- [21] R. A. Fox. *The Incorporated Statistician*, v. 11, n. 3, p. 170–171, 1961.